

MAYOR OF LONDON

A photograph of Mayor of London Sadiq Khan kneeling in a grassy field. He is wearing a dark blue suit and a light blue shirt. He is holding a green-handled shovel. To his right, a young girl in a colorful floral jacket is clapping her hands. In the background, there are trees and a building under an overcast sky.

London Environment Strategy

**APPENDIX 5:
SITE OF IMPORTANCE FOR
NATURE CONSERVATION
(SINC) SELECTION**

COPYRIGHT

**Greater London Authority
May 2018**

Published by
Greater London Authority
City Hall
The Queen's Walk
More London
London SE1 2AA
www.london.gov.uk
enquiries 020 7983 4100

Copies of this report are available
from www.london.gov.uk

CONTENTS

A1.1	Introduction	4
A1.2	The different kinds of sites and areas	4
A1.3	Survey information	8
A1.4	Criteria for choosing sites	9
A1.5	Consultation	13
A1.6	Protection in planning policies	13

A1.1 Introduction

A1.1.1 This appendix updates the previous adopted policy of the London Ecology Committee, which described the policy, criteria and procedures used to identify and recommend land to be protected because of its nature conservation (biodiversity or ecological) value. The appendix does not go into detail on the need for such protection, except as this bears on the criteria used. The previous policy report was adopted by the London Ecology Committee on 25th January 1994, and by the London Planning Advisory Committee for use in the review of Unitary Development Plans in March 1995. It was consequently recommended to London boroughs in paragraphs 7.24 and 7.25 of Government's Strategic Guidance for London Planning Authorities (RPG3, in 1996). An update was adopted by the London Ecology Committee in its meeting of 27th March 2000 and recommended to the Mayor of London as a firm basis for the London Biodiversity Strategy. Minor changes of wording reflect the Mayor's adoption of these procedures in June 2000 and consultation on the draft Biodiversity Strategy in 2001. More recent changes are the result of changes set out in *Planning Policy Statement 9: Biodiversity and Geological Conservation*, especially in relation to consideration of geodiversity.

A1.2 The different kinds of sites and areas

A1.2.1 There are three kinds of site, which are chosen on the basis of their importance to a particular defined geographic area. This use of search areas is an attempt, not only to protect the best sites in London, but also to provide each part of London with a nearby site, so that people are able to have access to enjoy nature.

Sites of Metropolitan Importance

A1.2.2 Sites of Metropolitan Importance for Nature Conservation are those sites which contain the best examples of London's habitats, sites which contain particularly rare species, rare assemblages of species or important populations of species, or sites which are of particular significance within otherwise heavily built-up areas of London.

A1.2.3 They are of the highest priority for protection. The identification and protection of Metropolitan Sites is necessary, not only to support a significant proportion of London's wildlife, but also to provide opportunities for people to have contact with the natural environment.

A1.2.3.1 The best examples of London's habitats include the main variants of each major habitat type, for example hornbeam woodland, wet heathland, or chalk downland. Habitats typical of urban areas are also included, e.g. various types of abandoned land colonised by nature ('wasteland' or 'brownfield'). Those

habitats which are particularly rare in London may have all or most of their examples selected as Metropolitan Sites.

- A1.2.3.2 Sites of Metropolitan Importance include not only the best examples of each habitat type, but also areas which are outstanding because of their assemblage of habitats, for example the Crane corridor, which contains the River Crane, reservoirs, pasture, woodland and heathland.
- A1.2.3.3 Rare species include those that are nationally scarce or rare (including Red Data Book species) and species which are rare in London.
- A1.2.3.4 A small number of sites are selected which are of particular significance within heavily built up areas of London. Although these are of lesser intrinsic quality than those sites selected as the best examples of habitats on a London-wide basis they are outstanding oases and provide the opportunity for enjoyment of nature in extensive built environments. Examples include St James's Park, Nunhead Cemetery, Camley Street Natural Park and Sydenham Hill Woods. In some cases (e.g. inner London parks) this is the primary reason for their selection. For sites of higher intrinsic interest it may only be a contributory factor. Only those sites that provide a significant contribution to the ecology of an area are identified.
- A1.2.4 Should one of these sites be lost or damaged, something would be lost which exists in a very few other places in London. Management of these sites should as a first priority seek to maintain and enhance their interest, but use by the public for education and passive recreation should be encouraged unless these are inconsistent with nature conservation.

Sites of Borough Importance

- A1.2.5 These are sites which are important on a borough perspective in the same way as the Metropolitan sites are important to the whole of London. Although sites of similar quality may be found elsewhere in London, damage to these sites would mean a significant loss to the borough. As with Metropolitan sites, while protection is important, management of borough sites should usually allow and encourage their enjoyment by people and their use for education.
- A1.2.6 In defining Sites of Borough Importance, the search is not confined rigidly to borough boundaries; these are used for convenience of defining areas substantially smaller than the whole of Greater London, and the needs of neighbouring boroughs should be taken into account. In the same way as for Sites of Metropolitan Importance, parts of some boroughs are more heavily built-up and some borough sites are chosen there as oases providing the opportunity for enjoyment of nature in extensive built environments.

- A1.2.7 The borough is an appropriate search area. Planning Policy Statement on Biodiversity and Geological Conservation (2005), in paragraph 5 (i), states that local development frameworks should indicate the location of designate sites for biodiversity and geodiversity, including locally designated sites.
- A1.2.8 Since essentially a comparison within a given borough is made when choosing Sites of Borough Importance, there is considerable variation in quality between those for different boroughs; for example, those designated in Barnet will frequently be of higher intrinsic quality than those in Hammersmith and Fulham, a borough comparatively deficient in wildlife habitat. Only those sites that provide a significant contribution to the ecology of an area are identified.

Sites of Local Importance

- A1.2.9 A Site of Local Importance is one which is, or may be, of particular value to people nearby (such as residents or schools). These sites may already be used for nature study or be run by management committees mainly composed of local people. Where a Site of Metropolitan or Borough Importance may be so enjoyed it acts as a Local site, but further sites are given this designation in recognition of their role. This local importance means that these sites also deserve protection in planning.
- A1.2.10 Local sites are particularly important in areas otherwise deficient in nearby wildlife sites. To aid the choice of these further local sites, Areas of Deficiency (see below) are identified. Further Local sites are chosen as the best available to alleviate this deficiency; such sites need not lie in the Area of Deficiency, but should be as near to it as possible. Where no such sites are available, opportunities should be taken to provide them by habitat enhancement or creation, by negotiating access and management agreements, or by direct acquisition. Only those sites that provide a significant contribution to the ecology of an area are identified.

Areas of Deficiency

- A1.2.11 Areas of Deficiency are defined as built-up areas more than one kilometre actual walking distance from an accessible Metropolitan or borough site. These aid the choice of Sites of Local Importance (see above).
- A1.2.12 Research indicates that few people are willing to walk for more than five or ten minutes to their local natural open space. This translates into a distance of around 500 metres. Using this distance identifies much greater areas of London that are deficient in access, but some of this deficiency can be met with accessible natural greenspace in places that do not meet the criteria for selection as a Site of Local Importance. A distance of 500 metres actual walking distance is recommended for this more detailed consideration of local access.

Other wildlife habitat

- A1.2.13 If an area of wildlife habitat is not designated as of Metropolitan, borough or Local Importance this does not imply that it has little or no value. The needs of wildlife and the value of natural vegetation should be considered throughout the planning process. It is particularly important that opportunities be taken to preserve, enhance or create areas of natural water and vegetation within heavily built-up areas, and to provide access locally.

Suburban gardens

- A1.2.14 Private suburban gardens constitute about one fifth of Greater London's land area. Few individual gardens qualify as sites but, in some parts of London, blocks of contiguous private gardens are of value, and may even be the most important habitat in their neighbourhood. Valuable blocks have large and well-established gardens with mature trees, shrubs, water features and other habitats, but few such features occur in small or recent gardens. The better blocks of suburban gardens in a neighbourhood, even if not accessible to the general public, deserve protection.

Green corridors

- A1.2.15 Green corridors are relatively continuous areas of open space leading through the built environment and which may link sites to each other and to the Green Belt. They often consist of railway embankments and cuttings, roadside verges, canals, parks, playing fields and rivers. They may allow animals and plants to be found further into the built-up area than would otherwise be the case and provide an extension to the habitats of the sites they join.
- A1.2.16 There are special criteria for the recognition of land as part of a corridor network, which are detailed in the former London Ecology Unit's Advisory Note 6 and summarised here. The essential tests are habitat composition and near continuity. The minimum habitat requirement is a natural surface: water or vegetation. The corridor network connects to the countryside (Green Belt or Metropolitan Open Land). Small discontinuities, such as division by a road, are allowed, but larger gaps are fatal. Most blocks of back garden land are isolated from the network, but sometimes they adjoin it, or the gap is small enough for them to be included. Corridor elements are not required to be any particular shape, to link sites, or link together into any particular geometry.
- A1.2.17 Sites of importance are included in corridors, but these deserve protection in their own right. Hence the protection recommended for the remainder of the network need not be so strong.

Countryside Conservation Areas

A1.2.18 Within London there still remain a few countryside areas where more traditional landscape predominates, and these broad tracts of land are of high wildlife interest. The wildlife value is not usually concentrated in any one part (or where it is, a site is identified), but is diffused throughout the whole area in features such as hedges, ditches, ponds, meadows, permanent pasture, copses and woods. These should be retained and appropriately managed, so that continued use for farming goes hand-in-hand with maintenance of the wildlife resource.

A1.3 Survey information

A1.3.1 In order to choose sites for protection it is necessary to have good survey information on the habitats and species of all candidate areas.

The London Open Spaces Survey

A1.3.2 Information on wildlife habitats can be collected in a standardised, comprehensive survey. We are fortunate in London in having such a survey, first carried out by the London Wildlife Trust for the Greater London Council in 1984/85, and updated and extended in various surveys since, including re-examination of sites to be described in the handbook series or in relation to proposed developments or management. In a number of London boroughs a systematic survey has been carried out using the former London Ecology Unit's specification since 1985. The specification was updated in 2000, when the GLA was established, to collect additional data required for open space planning. The format of the survey is similar to those usually described as 'Phase I' or 'Field by Field', but is enhanced by the extensive use of standardised written notes. Greenspace Information for Greater London (GIGL) now holds this survey information.

A1.3.3 The initial survey documented areas with semi-natural habitats (more natural than well-gardened allotments or heavily mown urban playing fields) and was also confined to large areas (above 0.5 ha for inner boroughs and 1 ha for outer boroughs). Much subsequent survey work has documented open spaces regardless of their natural quality and has used a much lower area threshold, to provide a more comprehensive coverage.

A1.3.4 Surveys helps to ensure that candidate sites are not overlooked and that the same essential minimum of information is available for each. There is usually little other information available on the quality of the wildlife habitats, but any information provided is taken into account.

Information on species

- A1.3.5 Information on species, which has been obtained in a consistent and standardised manner as part of the systematic survey of habitats should also be used in reaching decisions on site quality. Other information on species, relating to individual sites, is frequently available but has, until recently, rarely been collected in a systematic way so as to allow straightforward comparisons with other sites. GIGL holds extensive species data.
- A1.3.6 Information on species is often available from local naturalists, who are able to observe sites throughout seasons and years to provide an accurate and quite comprehensive listing of these and who may publish accounts of particular species or sites. Valuable though this information is, it often proves difficult to use it to compare candidate sites, as the recording effort put into each site may differ greatly and so may the completeness of the list. The length of the species list and the detection of rare species therefore depends upon the searching effort. For these reasons, such information on species is used only together with knowledge of how the information was obtained and of the way in which the ecology of individual species affects their apparent status.

A1.4 Criteria for choosing sites

- A1.4.1 Having assembled all the useful survey information it is necessary to use a set of criteria for comparing one area with another. Appropriate criteria for assessing sites in an urban context are set out below. These are based upon many years' experience of comparing sites one with another in London, but they are not unique. While the terminology may differ in detail, many of these criteria closely correspond with those used by the Nature Conservancy Council and its successor bodies. The criteria are applied in the context of national and regional planning policy guidance on nature conservation, and taking account of the considerable experience of habitats and species throughout Greater London and their importance for nature conservation.

Kinds of criteria

- A1.4.2 Some of the criteria are based in ecological science, in that they are known to be related to attributes that are desirable (these include ancient habitats, size and non-recreatable habitats). Some criteria are based on intrinsic attributes (those that are properties of a site regardless of its geographic setting), but others take geography and use into account.

Taking the criteria together

- 4.3 There have been a variety of schemes published which attempt to put numerical scores onto criteria and to sum them to an overall score of importance. We agree with the vast majority of workers in this field that this practice is unrefined

and does not lead to satisfactory results. Rather, the criteria are used to act as a guide for a professional judgement of a particular site in comparison with alternatives. For some sites only one or a few of the criteria may be important, but for others it may be all or most of them. Whichever criteria are important for a particular site, only those sites that provide a significant contribution to the ecology of an area are identified.

The criteria take relative, not absolute, values

- A1.4.4 It must be stressed that each criterion is used to facilitate a comparison of candidate sites within a given search area (metropolis, borough or locality within a borough) and thus they do not take absolute values independent of the search area. Obviously, criteria that show a site to be valuable for a larger search area than London (a region or nation, for example) mean that it is important to London. The converse is not necessarily so.

Habitat representation

- A1.4.5 The best examples of each major habitat type are selected. These include typical urban habitats such as abandoned land colonised by nature ('brownfield'). Where a habitat is not extensive in the search area it will be appropriate to conserve all or most of it, whereas where it is more extensive a smaller percentage will be conserved.

Habitat rarity

- A1.4.6 The presence of a rare habitat makes a site important, because the loss of, or damage to, only a few sites threatens the survival of the habitat in the search area.

Species rarity

- A1.4.7 The presence of a rare species makes a site important in a way that parallels rare habitat.

Habitat richness

- A1.4.8 Protecting a site with a rich selection of habitat types not only conserves those habitats, but also the wide range of organisms that live within them and the species that require more than one habitat type for their survival. Rich sites also afford more opportunities for enjoyment and educational use.

Species richness

- A1.4.9 Generally, sites that are rich in species are to be preferred, as this permits the conservation of a correspondingly large number of species. However, some habitats, such as reed beds, heaths and acid woodlands, are intrinsically relatively poor in species.

Size

- A1.4.10 Large sites are usually more important than small sites. They may allow for species with special area requirements. Large sites may be less vulnerable to small-scale disturbance, as recovery is sometimes possible from the undisturbed remainder. They are also more able to withstand visitors, by diluting their pressure within a wider space. Size is also related to the richness of habitat and species, and so is used as a surrogate for these other two criteria where information is incomplete.

Important populations of species

- A1.4.11 Some sites are important because they hold a large proportion of the population of a species for the search area (e.g. waterfowl populations or colonial birds such as herons or jackdaws).

Ancient character

- A1.4.12 Some sites have valuable ecological characteristics derived from long periods of traditional management, or even a continuity in time to the woodlands and wetlands which occupied the London area before agriculture. Ancient woodlands, old parkland trees and traditionally managed grasslands tend to have typical species that are rare elsewhere. These habitats deserve protection also because of the ease with which they are damaged by changes in management, ploughing, fertiliser and herbicide treatment.

Recreatability

- A1.4.13 Habitats vary in the ease with which they can be recreated and the length of time required; for example, ponds can be created from scratch with reasonable success within a few years, but woods not only take much longer - at least decades - to mature, but even then they do not contain the same flora and fauna as ancient woods on undisturbed soils. In addition to the ecological reasons why certain habitats cannot be recreated, many sites are not capable of being recreated because of practical reasons such as land availability and cost. The more difficult it is to recreate a site's habitats the more important it is to retain it.

Typical urban character

- A1.4.14 Features such as canals, abandoned wharves, walls, bridges, tombstones and railway sidings colonised by nature often have a juxtaposition of artificial and wild features. Some of these habitats are particularly rich in species and have rare species and communities of species. Their substrates may have a particular physical and chemical nature which allows species to thrive that are rare elsewhere. They may also have particular visual qualities. Such areas are often useful for the study of colonisation and ecological succession.

Cultural or historic character

- A1.4.15 Sites such as historic gardens with semi-wild areas, garden suburbs, churchyards and Victorian cemeteries which have reverted to the wild may have a unique blend of cultural and natural history.

Geographic position

- A1.4.16 This criterion is operated through the use of search areas and areas of deficiency (see A1.2.1, A1.2.13 and A1.4.4 above).

Access

- A1.4.17 Access is an important consideration, especially in areas where there may be few places for large urban populations to experience the natural world. Nature conservation is not restricted to the preservation of wildlife, but goes hand in hand with the enjoyment of it by all people, from the specialist naturalist to the casual visitor. Some access is desirable to all but the most sensitive of sites, but direct physical access to all parts of a site may not be desirable.

Use

- A1.4.18 The importance of a site can include its established usage (eg for education, research, or quiet enjoyment of nature).

Potential

- A1.4.19 Where a site can be enhanced given modest changes in management practices this gives it value. Opportunity exists where a site is likely to become available for nature conservation use, or where there is considerable local enthusiasm about it, or where a voluntary group is willing to use and manage it. Potential in this context can be for habitat enhancement through management, for educational or nature conservation amenity use. Where such potential could remedy a deficiency, or is readily capitalised, it is considered important.

Aesthetic appeal

- A1.4.20 This factor is the most difficult to measure, but it includes such factors, which contribute to the enjoyment of the experience of visiting a site, as seclusion, views, variety of landscape and habitat structure, colour, and natural sounds and scents.

Geodiversity interest

- A1.4.21 Where a site has a geological interest which has educational, scientific, historical or aesthetic interest as set out in London's Foundations (2009).

A1.5 Consultation

- A1.5.1 The criteria are used with the professional judgement of the designated and with adequate information, but it is equally important that this judgement should benefit from additional consideration by a wide range of interested parties. For this reason the procedures include widespread consultation with individuals and organisations with knowledge of the sites and of nature. These include local naturalists, voluntary organisations, land owners, statutory authorities, council officers and elected members.
- A1.5.2 This consultation is normally achieved using a map and schedule of sites recommended for protection in planning. After the consultation period is over this schedule is revised and the site descriptions may be drafted. Every submission made is considered in this process.
- A1.5.3 The map and schedule of sites should be updated periodically and at least when comprehensive re-survey permits.
- A1.5.4 Where the advice from maps and schedules has been incorporated into Local Development Frameworks, it has been subject to the statutory consultation and objection and inquiry procedure alongside other aspects of these plans.

A1.6 Protection in planning policies

- A1.6.1 The GLA recommends that the Sites of Importance for Nature Conservation all be afforded protection in London Borough Local Development Frameworks, against proposals that may harm their value. The detailed advice on policy wording should take planning guidance into account.
- A1.6.2 For the parts of Green Corridors outside the sites of importance and Countryside Conservation Areas, a lower level of protection is recommended.
- A1.6.3 In addition to protection through planning policies, any site of importance, where the London borough council has a legal interest, can be declared as a Local Nature Reserve under the National Parks and Access to the Countryside Act 1949 (after consultation with Natural England). These will include some of the best in terms of intrinsic value and also others chosen as part of the council's programme to provide places for study and for the quiet enjoyment of nature.

Other formats and languages

For a large print, Braille, disc, sign language video or audio-tape version of this document, or if you would like a summary of this document in your language please contact us at this address:

Public Liaison Unit

Greater London Authority
City Hall
The Queen's Walk
More London
London SE1 2AA

Telephone 020 7983 4000

london.gov.uk

You will need to supply your name, your postal address and state the format and title of the publication you require.

If you would like a summary of this document in your language, please phone the number or contact us at the address above.